

Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 1 / 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

automatic transmission fluid (CVT) Article number: 30 92 7975, 33 11 1447

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

# 1.2.2 Uses advised against

None known.

# 1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

# **SECTION 3: Composition / Information on ingredients**

# 3.1 Substances

not applicable



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 2 / 14

#### 3.2 Mixtures

## The product is a mixture.

Range [%]	Substance
1 - < 50	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-56-9, EINECS/ELINCS: 265-159-2, EU-INDEX: 649-469-00-9, Reg-No.: 01-2119480132-48-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,1 - <1	Methyl-1H-benzotriazole
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Repr. 2: H361d - Aquatic Chronic 2: H411

Comment on component parts For full text of H-statements and R-phrases: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 3 / 14

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

## 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

No special measures necessary if used correctly.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

## 7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 4 / 14

# SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m³

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX

Long-term exposure: 5 mg/m³, ACGIH TLV (OIL MIST)

## Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

## **DNEL**

Substance		
Methyl-1H-benzotriazole, CAS: 29385-43-1		
Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m³		
Industrial, dermal, Long-term - systemic effects, 300 μg/kg bw/day		
general population, inhalative, Long-term - systemic effects, 350 μg/m³		
general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day		
general population, oral, Long-term - systemic effects, 10 µg/kg bw/day		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day		
general population, inhalative, Long-term - local effects, 1.19 mg/m³		
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day		
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9		
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³		
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day		
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³		
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day		
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day		
general population, inhalative, Long-term - local effects, 1.19 mg/m³		
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day		

# **PNEC**



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 5 / 14

soil, 18.7 µg/kg soil dw

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

oral (food), 9,33 mg/kg

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

oral (food), 9,33 mg/kg food

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

oral (food), 9,33 mg/kg food

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9.33 mg/kg food

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** If there is a risk of splashing:

safety glasses (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Not required under normal conditions.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 6 / 14

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Physical state liquid **Form** liquid Color amber colour Odor characteristic **Odour threshold** not relevant pH-value not applicable pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 208 **Flammability** yes

Lower explosion limit No information available. Upper explosion limit No information available.

**Oxidising properties** 

Vapour pressure/gas pressure [kPa] No information available.

0,85 (DIN 51757) (15 °C / 59,0 °F) Density [g/cm<sup>3</sup>]

Relative density not determined Bulk density [kg/m³] not applicable Solubility in water immiscible

Solubility other solvents No information available. Partition coefficient n-octanol/water No information available.

(log value)

34 mm<sup>2</sup>/s (DIN 51562)(40°C) Kinematic viscosity Relative vapour density No information available. Melting point [°C] No information available. No information available. Auto-ignition temperature [°C] Decomposition temperature [°C] No information available.

Particle characteristics not applicable

# 9.2 Other information

none

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 7 / 14

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

bfe00233



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 8 / 14

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Substance

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, oral, Rat, 720 mg/kg (Lit.)

NOAEL, oral, Rat, 150 mg/kg bw/day

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LD50, oral, Rat, >5000 mg/kg bw (OECD 401)

NOAEL, oral, Rat, >1000 mg/kg bw (OECD 421)

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

ATE-mix, dermal, 63 257 mg/kg bw

Substance

Methyl-1H-benzotriazole, CAS: 29385-43-1

LD50, dermal, Rat, > 2000 mg/kg

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LD50, dermal, Rabbit, >5000 mg/kg bw (OECD 403)

NOAEL, dermal, Rat, >2000 mg/kg bw (OECD 414)

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LC50, inhalative, Rat, >5,53 mg/l air (OECD 403)

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

# Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

Eye, non-irritating

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Eye, non-irritating

# Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0

Page 9 / 14

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

dermal, non-irritating

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

Respiratory or skin sensitisation

Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

dermal, non-sensitizing

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.  $\label{eq:classification}$ 

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEC, inhalative, Rat, 980 mg/m³, no adverse effect observed

LOAEL, oral, Rat, 125 mg/kg bw/day, adverse effect observed

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

in vitro, negativ

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 10 / 14

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

## - Development

Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ

Carcinogenicity
Aspiration hazard
General remarks

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## 11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information none

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Substance		
Methyl-1H-benzotriazole, CAS: 29385-43-1		
LC50, (96h), Fish, 55 - 180 mg/L		
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L		
EC50, (72h), Algae, 29 - 75 mg/L		
NOEC, (21d), Invertebrates, 18.4 mg/L		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202		
EC50, (72h), Algae, > 100 mg/l		
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201		
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211		
LL50, (96h), Fish, > 100 mg/l, OECD 203		
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9		
EL50, (24h), Daphnia magna, >10000 mg/l (OECD 202)		
LL50, (96h), Pimephales promelas, >100 mg/l (OECD 203)		
NOEL, (21d), Daphnia magna, 10 mg/l (OECD 211)		
NOEL, (72h), Pseudokirchneriella subcapitata, >100 mg/l (OECD 201)		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
NOELR, (14d), Fish, 1 g/L		
LL50, (96h), Invertebrates, 10 g/L		
LL50, (96h), Fish, 100 mg/L		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
NOELR, (14d), Fish, 1 g/L		
LL50, (4d), Invertebrates, 10 g/L		
LL50, (4d), Fish, 100 mg/L		



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 11 / 14

## 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

(28d), 2 - 4 %, OECD 301 B, The product is not readily biodegradable.

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

log Pow, > 3,5

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

# 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 12 / 14

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110\* packaging containing residues of or contaminated by hazardous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS Inland navigation (ADN)

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

not applicable Inland navigation (ADN)

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 13 / 14

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN) no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

# 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H361d Suspected of damaging the unborn child.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.



Date printed 22.01.2025, Revision 22.01.2025

Version 14.0. Supersedes version: 13.0 Page 14 / 14

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure

**Modified position** 

 $2.2,\,3.2,\,8.1,\,9.1,\,11.1,\,11.2,\,12.1,\,12.6,\,15.1,\,16.1,\,16.3$